

Index

- p*-median problem (PM), 9
- p*-median problem, applications, 15
- p*-median problem, complexity results, 14
- p*-median problem, continuous, 10
- p*-median problem, directional, 12
- p*-median problem, discrete, 10
- 95-th percentile pricing, 5

- acronyms, list of, xvii
- asymmetric digital subscriber line (ADSL), 3
- asymmetric digital subscriber line (ADSL), tier structure, 4
- asynchronous transfer mode (ATM), 2, 163

- bandwidth quantization, 4
- bandwidth tiered service, 19, 37, 59, 97
- bandwidth tiered service, deterministic demands, 19
- bandwidth tiered service, economic model, 97
- bandwidth tiered service, penalty, 26
- bandwidth tiered service, stochastic demands, 59
- bandwidth tiered service, TDM emulation, 37
- bargaining power, 110
- BB, 84
- best-effort applications, 155
- best-effort service, 155
- bidirectional supply driven heuristic (USDH), 45
- bimodal distribution, 26, 27, 31, 84
- bin sort fair queueing (BSFQ), 165
- blocking probability, 55
- BSDH, 45, 47–51
- BSFQ, 165, 178
- budget, 144
- budget constraint, 141

- CAIDA, 113

- candidate points, 10, 78
- capacity-based pricing, 5, 98, 113
- CDF, 26, 31, 60, 100, 144
- clustering, 9, 10, 15
- Cobb-Douglas utility function, 143
- computational clusters, 16
- concentration set (CS), 81, 83
- conjoint analysis, 126
- constrained shortest path, CSP, 22
- continuous-PM2, 10
- continuous-rate network, 2, 4
- cooperative bargaining game, 110
- cost function, 100, 101, 114, 126, 134
- CS, 81, 83
- CSP, 22
- cumulative distribution function (CDF), 26, 60
- cumulative distribution function (PDF), 31

- DAG, 22
- DAG, weighted, 22
- data compression, 10, 15
- DDH, 44, 47–54, 56–58
- decomposition heuristic, 81, 83
- decreasing distribution, 26, 27, 31, 135
- dedication, v
- deficit round-robin (DRR), 164
- demand distribution, bimodal, 26, 27, 31, 84
- demand distribution, decreasing, 26, 27, 31
- demand distribution, increasing, 26, 27, 31
- demand distribution, Pareto, 113
- demand distribution, quadrimodal, 84
- demand distribution, triangle, 26, 27, 31
- demand distribution, uniform, 26, 27, 31, 84
- demand distribution, unimodal, 26, 27, 31
- demand distributions, 26, 27, 31
- demand driven heuristic (DDH), 44
- demand point, 9, 20

- DH, 81, 83
 directed acyclic graph, DAG, 22
 directional p -median problem, 12
 directional p -median problem, applications, 15
 directional p -median problem, joint optimization, 33
 directional p -median problem, on the plane, 14, 76
 directional p -median problem, on the real line, 13
 directional p -median problem, on the real line, stochastic demands, 60
 directional feasible solution, 13
 directional intersection points, 14
 directional mapping, 13, 60
 directional rectilinear distance metric, 12
 directional rectilinear distance metric, on the plane, 13
 directionality constraints, 13, 20
 discrete-PM2, 11
 discrete-PM2, GRIA heuristic, 79
 discrete-PM2, HC, 81
 discrete-PM2, heuristics, 77
 discrete-PM2, integer friendly, 78
 discrete-PM2, TB heuristic, 78, 80
 distance metric, directional rectilinear, 12
 distance metric, Euclidean, 10
 distance metric, rectilinear, 10
 DPM1, 47–50, 52, 56, 57
 DPM1, bandwidth tiered service, 19
 DPM1, constrained, 38
 DPM1, definition, 13
 DPM1, feasible solution, 20, 22
 DPM1, graph representation, 22
 DPM1, linear dynamic programming algorithm, 22, 24
 DPM1, quadratic dynamic programming algorithm, 21
 DPM2, 14, 76
 DPM2, decomposition heuristic, 81, 83
 DPM2, definition, 76
 DPM2, dynamic programming algorithm, 91
 DPM2, strictly dominating solution, 90
 DRR, 164, 171
- economic model, 97
 economic model, tier sizing, 101
 elastic applications, 155
 elastic market, 125
 Euclidean distance metric, 10
 expected revenue, 120
 expected surplus, 102, 115
 exponential tiering structure, 4, 46, 116, 131, 135, 145
 exponential tiering structure, performance, 48, 117–119, 121, 123, 137, 138
- facility location, 9, 10, 15
 facility-build cost, 33
 fair round-robin (FRR), 166
 fairness index (FI), 181, 186
 FCFS, 156
 FI, 181
 FIFO, 165
 first-come, first-served discipline (FCFS), 156
 first-in, first-out (FIFO), 165
 frame relay (FR), 2
 frame-based packet schedulers, 157, 163
 FRR, 166, 170, 171
- generalized processor sharing (GPS), 158
 generic framing procedure (GFP), 37
 GFP, 37
 global system for mobile communications (GSM), 37
 global/regional interchange algorithm (GRIA), 79
 GPS, 158, 169
 GPS, max-min-fairness, 159
 GRIA heuristic, 79
 Grid system, 16
 guaranteed-service applications, 155
- HC, 81
 Hessian matrix, 64, 105
 heuristic concentration (HC), 81
 hybrid packet schedulers, 157, 164
- increasing distribution, 26, 27, 31, 135
 indifference curve, 142, 143
 inelastic market, 125
 inter-class scheduler, S-RR, 166
 Internet service pricing, 98
 Internet service provider (ISP), 2, 4
 intersection points, 10
 intersection points, directional, 14
 intra-class scheduler, S-RR, 166
 ISP, 2, 97, 98
- JDPM1, 33, 107
 JDPM1, definition, 33
 JDPM1, generalization, 107
- label switched path (LSP), 15, 55
 label switched path (LSP), resizing, 16
 LCAS, 38
 leap forward virtual clock (LFVC), 178
 Lehmer random number generator, 26
 LFVC, 178

- link capacity-adjustment scheme (LCAS), 38
- LSP, 15, 38, 55
- market segmentation, 125, 131
- MAX-ES, 103
- MAX-ES, approximate formulation, 105, 106
- MAX-ES, approximate solution, 105
- MAX-ES, definition, 103
- MAX-ES, nonlinear programming, 104
- MAX-ES-2D, 144
- MAX-ES-2D, approximate solution, 145, 147
- MAX-ES-2D, definition, 144
- MAX-ES-2D, fixed tiers, 145
- MAX-ES-2D, fixed tiers, dynamic programming algorithm, 147
- max-min fairness, 156
- MAX-S, 128
- MAX-S, approximate solution, 133
- MAX-S, definition, 128
- MAX-S, dynamic programming algorithm, 133
- MAX-S, fixed tiers, 131
- MAX-S, fixed tiers, dynamic programming algorithm, 132
- MAX-S, single-tier, 129
- maximization of expected provider surplus problem, two dimensions (MAX-ES-2D), 144
- maximization of expected surplus problem (MAX-ES), 103
- maximization of provider surplus problem (MAX-S), 128
- metaheuristic, 81
- Monge property, 22
- Monge property, definition, 23
- monotone matrix, definition, 24
- MPLS, 15, 55
- MPLS, traffic grooming, 38
- multi-dimensional tiered structure, 75, 76
- multi-protocol label switching (MPLS), 15, 55
- multi-tier pricing, 5, 98
- multiprocessor system, 16
- Nash bargaining, 108
- Nash product, 110
- NBR, 26
- NBR, stochastic input, 62, 69
- NES, 117–119, 123
- next generation SONET/SDH, 38
- normalized bandwidth requirement, 49
- normalized bandwidth requirement (NBR), 26
- normalized bandwidth requirement (NBR), stochastic input, 62
- normalized DPM2 cost, definition, 83
- normalized expected revenue, 120, 121
- normalized expected surplus (NES), 117–119, 123
- NSFnet, 55, 56
- OPT-P, 110
- OPT-P, definition, 110
- OPT-P, solution, 111, 112
- optimal price, multiple tiers, 112
- optimal price, single tier, 111, 112
- optimal pricing, 108
- optimal pricing, multiple tiers, 112
- optimal pricing, single tier, 109
- optimal tiering structure, 116, 135
- optimal tiering structure, performance, 118, 119, 121, 123, 137, 138
- optimal-rounded tiering structure, 116, 135
- packet fair scheduling, 2, 16
- packet scheduling, 155
- packet scheduling, objectives, 155
- packet scheduling, requirements, 155
- Pareto distribution, 113
- PDF, 26, 27, 31, 60, 84, 100, 144
- periodic tasks, 16
- PM1, definition, 12
- PM2, heuristics, 77
- power of two heuristic (PTH), 46
- price optimization problem (OPT-P), 110
- pricing, capacity-based, 5, 98, 113
- pricing, Internet services, 98, 99
- pricing, usage-sensitive, 5, 98, 113
- pricing, usage-sensitive, 95-th percentile, 5
- probability distribution function (PDF), 26, 27, 31, 60, 84
- proportionally fair schedule, 17
- provider surplus, 102, 125, 128, 136
- PTH, 46–48
- QQ, 84
- quadrimodal distribution, 84
- quality of service (QoS), 2, 20, 75, 155
- random number generator (RNG), 26
- rectilinear distance metric, 10
- RNG, 26
- round-robin (RR), 163
- RR, 163
- S-RR, 166, 170, 171
- SCFQ, 161
- scheduler, inter-class, 166
- scheduler, intra-class, 166
- scheduler, timestamp-based, 16
- schedulers, frame-based, 157, 163

- schedulers, hybrid, 157, 164
- schedulers, timestamp-based, 157
- scheduling discipline, 155
- SDNAP, 113
- SDPM1, 60, 104
- SDPM1, approximate formulation, 66, 68
- SDPM1, approximate solution, 66
- SDPM1, approximate, optimal solution, 68
- SDPM1, definition, 61, 62
- SDPM1, feasible solution, 60
- SDPM1, increasing distribution, 65
- SDPM1, optimal solution, 62
- SDPM1, special case of MAX-ES, 104
- SDPM1, uniform distribution, 64
- SEFF, 160, 171
- self-clocked fair queueing (SCFQ), 161
- service bundle, 75, 141
- service bundle, as marketing strategy, 141
- service level agreement (SLA), 4, 75
- service tiers, 3
- SFF, 159
- SFQ, 162
- smallest eligible virtual finish time first policy (SEFF), 160
- smallest virtual finish time first policy (SFF), 159
- smoothed round-robin (SRR), 165
- social surplus, 102, 114
- social welfare, 102
- SRR, 165
- start-time fair queueing (SFQ), 162
- stratified round robin (SRR), 16
- stratified round-robin (S-RR), 166
- strictly dominating set, 90
- strictly dominating solution, 90
- supply point, 9, 20
- surplus function, 100, 101
- surplus, expected, 102, 115
- surplus, provider, 102, 125, 128, 136
- surplus, social, 102, 114
- surplus, user, 102, 129
- symbols, list of, xvii
- synchronous digital hierarchy (SDH), 3, 37
- synchronous digital hierarchy (SDH), next generation, 38
- synchronous optical network (SONET), 3, 37
- synchronous optical network (SONET), next generation, 38

- task scheduling, 16
- TB heuristic, 78, 80, 81, 83
- TCP, 176
- TDM emulation, 37
- TDM-DPM1, 39
- TDM-DPM1, bidirectional supply driven heuristic, 45
- TDM-DPM1, definition, 39
- TDM-DPM1, demand driven heuristic, 44
- TDM-DPM1, exhaustive search algorithm, 42, 43
- TDM-DPM1, heuristic algorithms, 44
- TDM-DPM1, objective function behavior, 41
- TDM-DPM1, optimal solution, 40
- TDM-DPM1, power of two heuristic, 46
- TDM-DPM1, supply driven heuristics, 45
- TDM-DPM1, unidirectional supply driven heuristic, 45, 46
- Teitz and Bart (TB), 78, 80, 81
- tiered service, 3
- tiered service fair queueing (TSFQ), 169, 170
- tiered service, impact on resources, 26
- tiered service, market segmentation, 125, 131
- tiered service, performance penalty, 20
- tiered-service network, 3
- time division multiplexing (TDM), 4, 163
- timestamp-based packet schedulers, 157
- totally monotone matrix, 23
- totally monotone matrix, definition, 24
- traffic grooming, 38
- transaction cost, 109
- triangle distribution, 26, 27, 31
- TSFQ, 169, 170
- TSFQ, inter-tier scheduler, 171
- TSFQ, intra-tier scheduler, 171, 173, 175

- UB, 84
- UDP, 179
- uncapacitated facility location problem, 33
- unidirectional supply driven heuristic (USDH), 45, 46
- uniform distribution, 26, 27, 31, 84, 135
- uniform tiering structure, 116, 131, 135, 145
- uniform tiering structure, performance, 117–119, 121, 123, 137, 138
- unimodal distribution, 26, 27, 31
- usage-sensitive pricing, 5, 98, 113
- USDH, 45–51
- user surplus, 102, 129
- utility function, 100, 101, 114, 125, 134, 142
- utility function, Cobb-Douglas, 143
- UU, 84

- VC, 162
- VCAT, 38
- vector quantization, 76
- vertex substitution heuristic, 78, 80
- virtual clock (VC), 162
- virtual concatenation (VCAT), 38

virtual private network (VPN), 15
voice-over-IP (VoIP), 156

weighted fair queueing (WFQ), 2, 16, 159

weighted round-robin (WRR), 163

WF²Q, 160

WF²Q+, 161, 169, 171

WFI, 160

WFQ, 159

worst-case fair weighted fair queueing
(WF²Q), 160

worst-case fairness index (WFI), 160

WRR, 163